

REQUISITION FORM - SAMPLE ANALYSIS

Name		
Category	Internal	
	External	
Address		
Email		
Mobile Number		
Sample ID		
Nature of Sample		
Number of Samples		
Sample Submission Date		

PARAMETER DETAILS

PHYSICAL PARAMETERS	
<input type="checkbox"/>	Colour
<input type="checkbox"/>	Odour
<input type="checkbox"/>	Temperature
<input type="checkbox"/>	Electrical Conductivity
<input type="checkbox"/>	Turbidity
<input type="checkbox"/>	Sludge Volume Index
<input type="checkbox"/>	Settleable Solids
<input type="checkbox"/>	Total Solids
<input type="checkbox"/>	Total Fixed Solids
<input type="checkbox"/>	Total Volatile Solids
<input type="checkbox"/>	Total Suspended Solids
<input type="checkbox"/>	Volatile Suspended Solids
<input type="checkbox"/>	Total Dissolved Solids

MICROBIAL PARAMETERS	
<input type="checkbox"/>	E.coli (MPN Count)
<input type="checkbox"/>	E.coli (Colony Count)
<input type="checkbox"/>	Coliform (MPN Count)
<input type="checkbox"/>	Coliform (Colony Count)
<input type="checkbox"/>	Helminth Eggs Enumeration (Liquid)
<input type="checkbox"/>	Helminth Eggs Enumeration (Solid)

CHEMICAL PARAMETERS			
<input type="checkbox"/>	pH	<input type="checkbox"/>	Chloride
<input type="checkbox"/>	Chemical Oxygen Demand	<input type="checkbox"/>	Total Hardness
<input type="checkbox"/>	Soluble Chemical Oxygen Demand	<input type="checkbox"/>	Hardness (Calcium)
<input type="checkbox"/>	Dissolved Oxygen	<input type="checkbox"/>	Hardness (Magnesium)
<input type="checkbox"/>	Biochemical Oxygen Demand	<input type="checkbox"/>	Acidity
<input type="checkbox"/>	Ammonical Nitrogen	<input type="checkbox"/>	Alkalinity
<input type="checkbox"/>	Total Nitrogen	<input type="checkbox"/>	Chlorine Demand
<input type="checkbox"/>	Total Kjeldahl Nitrogen	<input type="checkbox"/>	Chlorine Residual
<input type="checkbox"/>	Nitrite Nitrogen as NO ₂	<input type="checkbox"/>	Sulphate
<input type="checkbox"/>	Nitrate Nitrogen as NO ₃	<input type="checkbox"/>	Salinity
<input type="checkbox"/>	Phosphate as P	<input type="checkbox"/>	Iron
<input type="checkbox"/>	Total Phosphorous	<input type="checkbox"/>	Flouride

PACKAGE 1		PACKAGE 2	
<input type="checkbox"/>	Drinking Water Standard (BIS) 10500: 2012	<input type="checkbox"/>	National Green Tribunal : STP Discharge Standards 2019

NOTES

1	Taxes	18% GST extra (9% - SGST; 9% - CGST)
2	Liquid Sample Quantity	Bacteriological : 0.5 L (without void space)
		Physical & Chemical : 2 L (without void space)
		Helminth : 2 L (without void space)
3	Solid Sample Quantity	Solid Sample - 100 g/measurement
4	Report Due	8-10 working days after sample submission.
5	Storage	Samples will be stored for a week after report submission.
6	Discussion	Any clarification regarding the result has to be cleared in a week from the receipt of report submission

Date & Place

Signature of the User

OFFICE USE ONLY

Sample received on	
Sample analysed on	
Result reported date	
Remarks	
Job carried out by:Mr./Ms./Dr.	